

In "Hohuku Maru" S. S. Itofullu maru
Profile & Deeks.

Note Rept. no. 24/1



423 Styleter Min

Lloyd's Register

SCALE & TO 1'-0" AWNING DECK UPPER DECK. 2MD DECK EVERY FRAME. STRONG BEAM 15 4.48"

ANK. CENTRE GIRDER 6 6 X 6 X 70 L

HATCHWAYS STIFFENERS 6 X 3 2 X 38 7 SPACED 36 APART

INT. PL . 40"

HATCHWAYS STIFFENERS 6 X 3 2 X 38 7 SPACED 36 APART 9"x32"x.5257 TO UPPER & 2MD DECK ALTY. UPPER TW. DK. FR. & UPPER & LOWER TW. DK. INTERMEDIATE FR. 6"x32"x.38"7 32"x 32"x 40"7 INTERMEDIATE FR. 75"x 32"x 40"7 INTERMEDIATE REV. FR. 32"x 32"x 40"7 INTERMEDIATE REV PANTING STRINGER. FRAMES IN DOUBLE BOTTOM.

REV. FR. " " 36 (VERTICAL STIFF 3"X3"x 40") WHERE SOLID FLOORS TO ALT FR.)

STRINGER ANG 5"X5"55" FOR \$1 M.

STRINGER ANG 4"X4" x.50"

STRINGER ANG 4"X4" x.50" AWNING DECK. BOAT DECK. (WOOD SHEATHING 5"x22" O.P.) END COAMING .44, 24" ABOVE DE COAMING ANG. 3±x3±x44" WEBPL BRAMS 18x36, LIFE ANGED. UPPER DECK WEB FRAME PARTIAL BHO. LOWER BRIDGE (WOOD SHEATHING 5x22 O.P.) SECOND DECK. 

Nawasari Sd. no. 423
In" Hohuku Maru" 95 " Itofuku Maru"
— Muship Section

18th Ryst. No. 2411

RECEIVED

7-MAR 1919

LONDON:

Lloyd's Registe

## Nº 423



## MIDSHIP SECTION.

TO CLASS TEISHINISHO RULE IST. CLASS VESSEL

& LLOYD'S 100 A I WITH FREE BOARD.

SCALE 1/2 INCH TO ONE FOOT.

